

ATTESTATION OF CONFORMITY

Issued to	: Yueqing Yongyao Light Co., Ltd. Juguang Industrial Zone Tiancheng, Yueqing City, Zhejiang Province, China, 325609
For the product	: Battery Lighting Chain
Trademark	: Yueqing Yongyao Light Co., Ltd.
Type/Model	: Please refer to model list
Ratings	: 3 Vdc, 4,5Vdc; Max. 2,4 W
Manufactured by	: Yueqing Yongyao Light Co., Ltd. Juguang Industrial Zone Tiancheng, Yueqing City, Zhejiang Province, China, 325609
Requirements	: EN 55015:2013+A1:2015 EN 61547:2009

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in test report no. 6028732.50.

This Attestation implies that the examined types are in accordance with the standards designated under the Electromagnetic compatibility directive 2014/30/EU.

The examination has been carried out on one single specimen of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

Shanghai, 24 April 2018

Number: 6028732.01AOC

DEKRA Testing and Certification (Shanghai) Ltd.

Kate Xu
Certification Manager



© Integral publication of this attestation and adjoining reports is allowed.

Page 1 of 9

The CE marking may be affixed on the product if all relevant and effective EC directives are complied with

Annex

Document no. 6028732.01AOC

1. Battery lighting chain of line style


YY-DCH1228LI-xx-y 3Vdc, Max. 1.8W,

YY-DCH1229LI-xx-y 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 200 step by 1

y refer to first letter of color :R is red, WW is warm white, G is green, M is multi, C is colorful,

W is white, Y is yellow, B is blue, P is pink, etc. representatives as bellow:



2. Battery lighting chain of desktop lantern style

YY-DCH1222LA-xx-yz 3Vdc, Max. 1.8W

YY-DCH1223LA-xx-yz 4.5Vdc, Max. 2.4W

xx refer to the total number of LED: 5, 6, 7, 8, ..., 30 step by 1;

y refer to the height of the lantern: 20-60, unit is 'cm';

z refer to the shape of the lantern: H is hexagonal, R is round; representatives as bellow:



Annex

Document no. : 6028732.01AOC

3. Battery lighting chain of acrylic motif style

YY-DCH1225A-xx-y 3Vdc, Max. 1.8W,

YY-DCH1226A-xx-y 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 200 step by 1;

y refer to the first letter or letters of the different shape: RE is reindeer, SM is snowman,

L is lantern, ST is star, BL is bell, BR is bear, BA is ball, TO is tower, etc. ; representatives

as bellow:



Annex

Document no. : 6028732.01AOC

4. Battery lighting chain with copper wire style

YY-DCH1236CW-xx-y 3Vdc, Max. 1.8W,

YY-DCH1237CW-xx-y 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 200 step by 1;

y refer to first letter or letters of the shape: TR is tree, FS is five-pointed star,

SS is six-pointed star, F is flower, H is heart etc.; blank is without decoration representatives

as bellow:



5. Battery lighting chain of garden style

YY-DCH1220G-xx-y 3Vdc, Max. 1.8W; YY-DCH1221G-xx-y 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 30 step by 1

y refer to the first letter or letters of the different shape: F is flower, BF is butterfly, DF is dragonfly, H is heart, ST is star, SB is strawberry, G is grape, representative as bellow:



Annex

Document no. : 6028732.01AOC

6. Battery lighting chain of blossom tree style

YY-DCH1230BT-xx-yz 3Vdc, Max. 1.8W; YY-DCH1231BT-xx-yz 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 200 step by 1

y refer to the height of the tree:20-100. unit is 'cm'

z refer to the first letter or letters of the shape: F is flower, BF is butterfly, DF is dragonfly, H is heart, ST is star, SB is strawberry, SF is snowflake, G is grape, etc. representatives as bellow:



Annex

Document no. : 6028732.01AOC

7. Battery lighting chain with decoration style

YY-DCH1232D-xx-y 3Vdc, Max. 1.8W; YY-DCH1233D-xx-y 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 5, 6, 7, 8, ..., 200 step by 1;

y refer to first letter or letters of the shape: F is flower, BF is butterfly, DF is dragonfly,

H is heart, ST is star, SB is strawberry, SF is snowflake, L is lotus, G is grape, etc. ;

representatives as below:



8. Battery lighting chain of icicle style

YY-DCH1238IC-xx 3Vdc, Max. 1.8W,

YY-DCH1239IC-xx 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 96, 104, 112, 120, ..., 184, 192, 200 step by 8 or

90, 100, 110, 120, ..., 180, 190, 200 step by 10; representative as bellow:



Annex

Document no. : 6028732.01AOC

9. Battery lighting chain of net style

YY-DCH1252N-xx 3Vdc, Max. 1.8W,

YY-DCH1253N-xx 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 72, 80, 88, 96, ..., 176, 184, 192 step by 8 or

70, 80, 90, 100, ..., 180, 190, 200 step by 10;




10. Battery lighting chain of curtain style

YY-DCH1250C-xx 3Vdc, Max. 1.8W

YY-DCH1251C-xx 4.5Vdc, Max. 2.4W,

xx refer to the total number of LED: 72, 80, 88, 96, ..., 176, 184, 192 step by 8 or

70, 80, 90, 100, ..., 180, 190, 200 step by 10;



Annex

Document no. : 6028732.01AOC

11. stick LED lights

353170014.5Vdc, Max. 2.4W, 5LED



12. Battery lighting chain with tree style

YYL-DCH1229LI-10-WW 4.5Vdc,

GD-1630-146G-A



Annex

Document no. : 6028732.01AOC

13. Battery lighting chain with tree style

YYL-DCH1229LI-30-WW 4.5Vdc.

GD1630-222G



14. Battery lighting chain with star style

YYL-DCH1229LI-20-WW 4.5Vdc

GD1630-249



Page 9 of 9
End of Annex