

## MR11 GU4 BULB 390LM 3.7W 4000K NON-DIMM 36 BEAM INTEGRAL

ILMR11NE010



This 3.7W retro-fit Integral LED MR11 delivers brightness similar to a 37W halogen bulb, in white light. It features three high output Osram LEDs, an anti-glare refractor, all finished with an aluminium and plastic thermally efficient body. The ideal lamp for commercial and home use.

#### **Details**

Quick Order Code: 564732

**Barcode:** 5055788234890

Category: Lamps

Range Name: 12V GU4 Base

Product Type: MR11

Market Segment: Commercial indoor, Residential indoor

Warranty (Years): 2
CE RoHS: Yes

## **Physical Data**

Product Length (mm): 35
Product Width (mm): 35
Product Weight (g): 18

Optic: Refractor Cover for enhanced light distribution

Material:PlasticBase Term:GU4Bulb Base:MR11Globe Finish:ClearBulb Fixing:DownlightBulb or Luminaire Shape:Round

Placement / Application: Indoor, General Lighting
Spot Type: High Power Three LED

#### **Electrical Data**

Power (W): 3.7
Power Consumption (w): 4, 3.7
Power Factor: 0.5
Wattage equivalent (W): 37
Amperage (mA): 450

**Dimming:** Non-Dimmable

**Driver IC Manufacturer:** Silergy

**Driver Included:** Integrated, Needs to be powered via 12V AC

Transformer

Electric Current: AC
True Wattage Eq (W): 35

**EN:** EN-62560

LVD Certified: Yes

# **Light Data**

Luminous Flux in Lumens (Im): 390
Luminous efficacy (Im/W): 105
Peak Intensity (Cd): 850
Correlated Colour Temperature (CCT) (K): 4000

Colour Temperature: 4000K - Cool White

Colour Temperature Name: Cool White

Beam Angle: 36
Colour Rendering Index (CRI): 80
Compatible Dimmers: Varilight
Instant on (Less than 1 second): Yes

**LED Type:** Surface mounted device (SMD)

Lifetime (hours): 15000
Switching Cycles: 7500
Useful Lumens (lm): 370

#### **Environment**

**EN:** EN-62560

LVD Certified: Yes **CE RoHS:** Yes **Energy Rating:** A++ **New Energy Rating:** F Hg 0% (Mercury Free): Yes IP20 **IP Rating (Ingress Protection): Lowest Operating Temperature (°C):** -20 **Maximum Operating Temperature (°C):** 40



# **Packaging**

Package Weight (g):23Package Length (mm):50Package Width (mm):35Package Depth (mm):35Qty per euro pallet:7000