tedee



tedee go Quick to install. Easy to love.

The new smart lock from Tedee coming soon

tedee GO

The second smart lock from Tedee



Just pop it on your lock*

No installation hardware required

Power with replaceable batteries Lasting up to 9 months if used up to 8 times per day.

Enter in a new way Compatible with Tedee smart bridge and keypad.

COMING SOON

Compare Tedee smart locks

tedee go

Weight	213g
Dimension	Ø 57mm x 63mm
Installation method	Mount on an existing European cylinder and key. No extra hardware needed.
Power supply	Replaceable three CR123A/R batteries
Battery life up to 8 uses per day	Up to 9 months

with

tedee pro

196 g

Ø 45mm x 55mm

Compatible European cylinder or adapter for European or Scandinavian locks.

Built-in rechargeable 3000mAh LiPo accumulator

Up to 14 months


* Tedee GO can always be installed on the inward-opening doors. It is not compatible with outward-opening doors if their width is less than 90 cm and the mortise lock backset (the distance between the cylinder axis and the lock front) is less than 50 mm. The cylinder must have an emergency feature (it can rotate with keys inserted on both sides).

No more replacing cylinders


Smart start in three steps







Slide Tedee GO on your key, fitting the lock's base on the cylinder.



Fix one screw

The easiest way to the best Tedee features

Enter

Unlock with the Tedee app, mobile widgets and smart watches – or automatically.



Protect



Share

Easily send "digital keys" – valid forever or on specific dates only.



Host Automate self-check-ins to your rental with extra accessories.

Keep the activity log and manage lock users with three access levels.



Enter the smart word.

tedee.com support@tedee.com f tedeeeu

Otedee.smart

♥ @tedee_smartlock

in tedee