

No.: ED180820044C Date: August 30, 2018 Page 1 of 21

Applicant : GUANGDONG ROMAN TECHNOLOGY CO., LTD.

Address : QIFENG ROAD #8, BODI VILLAGE, ZHANGMUTOU TOWN, DONGGUAN

CITY, GUANGDONG PROVINCE, CHINA

Sample Name : Hair Straightener

Style/Item No. : RM-110C, RM-110, RM-110CT, RM-110T

Manufacturer/Factory : Guangdong Roman technology co., Ltd.

Address : QiFeng Road #8, BoDi village, ZhangMuTou town, DongGuan city,

Guangdong province, China

Sample Received Date : August 20, 2018
Testing Completed Date : August 30, 2018

Test Requested: As requested by client, to evaluate the compliance of the submitted sample

with the Directive 2011/65/EU and amendment directive 2015/863/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of

the use of certain hazardous substances in electrical and electronic

equipment.

Test Method : 1. Review was performed for the sample and the related Bill of Material

submitted by the Applicant.

2. a) To refer to the standard IEC 62321-3-1:2013: Screening by XRF $\,$

Spectroscopy.

b) Wet chemical test

1) to refer to IEC 62321-5: 2013, determine the Cadmium, Lead $\,$

content by ICP-OES.

2) to refer to IEC 62321-4: 2013, determine the Mercury content by

ICP-OES.

3) to refer to IEC 62321-7-1:2015 & IEC 62321-7-2:2017, determine

the Hexavalent Chromium content by UV-VIS.

4) to refer to IEC 62321-6:2015, determine the Polybrominated

Biphenyls and Polybrominated Diphenyl Ethers by GC-MS.

Test Results : Please refer to next page (s).





No.: ED180820044C Date: August 30, 2018 Page 2 of 21

Conclusion:

Basing on the test results obtained from the homogenous materials, the submitted sample **COMPLIES** with the requirements stated in the Annex II of RoHS Directive 2011/65/EU and amendment directive 2015/863/EU.

Signed for and on behalf of EMTEK (Dongguan) Co., Ltd.

Prepared by:

Kira Fu

Report Engineer

Reviewed by:

Carrie Zhang Supervisor Approved by:

Lainey Qin Manager





No.: ED180820044C Date: August 30, 2018 Page 3 of 21

Test Results:

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
1	Shell-black hard plastic	Hg	BL	PBBs:ND PBDEs:ND	Pass	Non comment
	piastio	Cr	BL			
		Br	Χ			
		Pb	BL			
	Shell-black hard	Cd	BL			
2	plastic with dark	Hg	BL	NA	Pass	Non comment
	silver coating	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
3	Shell-key-black hard plastic	Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL	NA		Non comment
	Shell-key-black	Cd	BL		Pass	
4	hard plastic with	Hg	BL			
	silver coating	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
5	Shell-key-spring- silver metal	Hg	BL	NA	Pass	Non comment
	Silver metar	Cr	BL			
		Br	NA			
		Pb	BL			
A KARAN	Shell-key-	Cd	BL	NA	Pass	
6	translucent soft	Hg	BL			Non comment
	plastic	Cr	BL			
		Br	BL			





No.: ED180820044C Date: August 30, 2018 Page 4 of 21

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
7	Shell-key-shaft- white hard plastic	Hg	BL	NA	Pass	Non comment
	Willo hard plactic	Cr	BL			
		Br	BL			
		Pb	BL			
	Shell-support-	Il-support-				
8	spring-silver metal	Hg	BL	NA	Pass	Non comment
	with black coating	Cr	BL			
		Br	NA			
		Pb	BL			Non comment
	Shell-support-	Cd	BL			
9	thread bushing- black hard plastic with silver coating	Hg	BL	NA	Pass	
		Cr	BL			
		Br	BL			
		Pb	BL	PBBs:ND PBDEs:ND		
		Cd	BL		Pass	Non comment
10	Green PCB(1819)	Hg	BL			
		Cr	BL			
		Br	Χ			
		Pb	BL			
		Cd	BL			
11	PCB(1819)-silver metal	Hg	BL	NA	Pass	Non comment
	motal.	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(1819)-	Cd	BL	NA NA	Pass	
12	translucent soft	Hg	BL			Non comment
	plastic	Cr	BL			
		Br	BL			





No.: ED180820044C Page 5 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
13	PCB(1819)-SMD LED	Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
14	PCB(1819)-solder- silver metal	Hg	BL	NA	Pass	Non comment
	Gilvor motal	Cr	BL			
		Br	NA			
		Pb	BL	NA		
		Cd	BL			
15	Heating plate-shell- silver metal	Hg	BL		Pass	Non comment
		Cr	BL			
		Br	NA			
		Pb	BL	NA NA		
		Cd	BL		Pass	Non comment
16	Heating plate-shell- copper metal	Hg	BL			
		Cr	BL			
		Br	NA			
		Pb	BL			
		Cd	BL			
17	Heating plate-grey solid	Hg	BL	NA	Pass	Non comment
	Colla	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL	NA		
18	Heating plate-silver paper board	Hg	BL		Pass	Non comment
	ραροί συαία	Cr	BL			
		Br	BL			





No.: ED180820044C Page 6 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
19	Heating plate-dark brown soft plastic	Hg	BL	NA	Pass	Non comment
	Brown out places	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
20	Heating plate-white soft plastic	Hg	BL	NA	Pass	Non comment
	Con pidono	Cr	BL			
		Br	BL			
	Heating plate-brown glue tape	Pb	BL			Non comment
		Cd	BL			
21		Hg	BL	NA	Pass	
		Cr	BL			
		Br	BL			
		Pb	BL	PBBs:ND PBDEs:ND		
		Cd	BL		Pass	Non comment
22	Green PCB(003)	Hg	BL			
		Cr	BL			
		Br	Χ			
		Pb	BL			
	PCB(003)-display	Cd	BL			
23	screen-translucent hard plastic with	Hg	BL	NA	Pass	Non comment
	black coating	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(003)-display	Cd	BL	PBBs:ND 1-7 BDEs:ND	Pass	
24	screen-grey hard plastic with black	Hg	BL	8 BDE:74		Non comment
	coating	Cr	BL	9 BDE:207 10 BDE:299		
		Br	Χ			





No.: ED180820044C Date: August 30, 2018 Page 7 of 21

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
25	PCB(003)-SMD resister	Hg	BL	NA	Pass	Non comment
	Tooloto	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
26	PCB(003)-SMD capacitor	Hg	BL	NA	Pass	Non comment
	Capacitor	Cr	BL			
		Br	BL			
	PCB(003)-SMD triode	Pb	BL			
		Cd	BL			
27		Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL	NA		
		Cd	BL		Pass	Non comment
28	PCB(003)-SMD IC	Hg	BL			
		Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
29	PCB(003)-triode- silver metal	Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	NA			
		Pb	BL			
		Cd	BL	NA	Pass	
30	PCB(003)-triode- silver metal	Hg	BL			Non comment
	Silver motal	Cr	BL			
		Br	NA			





No.: ED180820044C Date: August 30, 2018 Page 8 of 21

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
31	PCB(003)-triode- black solid	Hg	BL	NA	Pass	Non comment
	black solid	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
32	PCB(003)-triode- pin-silver metal	Hg	BL	NA	Pass	Non comment
	piir ciiver metai	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(003)- electrolytic capacitor-shell- black soft plastic with grey coating	Cd	BL	NA		
33		Hg	BL		Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(003)-	Cd	BL			Non comment
34	electrolytic capacitor-shell-	Hg	BL	NA	Pass	
	silver metal	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(003)-	Cd	BL			
35	electrolytic capacitor-brown	Hg	BL	NA	Pass	Non comment
	paper	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(003)-	Cd	BL	NA NA	Pass	
36	electrolytic capacitor-dark silver	Hg	BL			Non comment
	metal	Cr	BL			
		Br	NA			





No.: ED180820044C Page 9 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
CELL STATE		Pb	BL			
	PCB(003)-	Cd	BL			
37	electrolytic capacitor-black soft	Hg	BL	NA	Pass	Non comment
	plastic	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(003)-					
38	electrolytic capacitor-pin-silver	Hg	BL	NA	Pass	Non comment
	metal	Cr	BL			
		Br	NA			
		Pb	BL			Non comment
		Cd	BL			
39	PCB(003)-solder- silver metal	Hg	BL	NA	Pass	
		Cr	BL			
		Br	NA			
		Pb	BL	PBBs:ND PBDEs:ND		Non comment
		Cd	BL		Pass	
40	Green PCB(004)	Hg	BL			
		Cr	BL			
		Br	Χ			
		Pb	BL			
		Cd	BL			
41	PCB(004)-SMD resister	Hg	BL	NA	Pass	Non comment
	100000	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
42	PCB(004)-SMD diode	Hg	BL	NA	Pass	Non comment
	diodo	Cr	BL			
		Br	BL			





No.: ED180820044C Page 10 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
43	PCB(004)-SMD triode	Hg	BL	NA	Pass	Non comment
	inodo	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
44	PCB(004)-SMD LED	Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
	PCB(004)-safety capacitor-blue solid	Pb	BL			
		Cd	BL			
45		Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(004)-safety	Cd	BL			Non comment
46	capacitor-yellow	Hg	BL	NA	Pass	
	solid	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(004)-safety	Cd	BL			
47	capacitor-brown	Hg	BL	NA	Pass	Non comment
	solid	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(004)-safety	Cd	BL	NA	Pass	
48	capacitor-pin-silver	Hg	BL			Non comment
	metal	Cr	BL			
		Br	NA			
		the state of the s				





No.: ED180820044C Page 11 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
PC	PCB(004)-fuse-	Cd	BL			
49	shell-black soft	Hg	BL	NA	Pass	Non comment
	plastic	Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			
50	PCB(004)-fuse-cap- silver metal	Hg	BL	NA	Pass	Non comment
	Silver metal	Cr	BL			
		Br	NA			
	PCB(004)-fuse- transparent glass	Pb	BL			
		Cd	BL			
51		Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL	NA		
		Cd	BL		Pass	Non comment
52	PCB(004)-fuse- wire-silver metal	Hg	BL			
	wire onver metar	Cr	BL			
		Br	NA			
		Pb	BL			
		Cd	BL			
53	PCB(004)-fuse-pin- silver metal	Hg	BL	NA	Pass	Non comment
	Silver metal	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(004)- electrolytic	Cd	BL	NA		
54	capacitor-shell-	Hg	BL		Pass	Non comment
	black soft plastic with grey coating	Cr	BL			
	with grey coating	Br	BL			





No.: ED180820044C Date: August 30, 2018 Page 12 of 21

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
	PCB(004)-	Cd	BL			
55	electrolytic capacitor-shell-	Hg	BL	NA	Pass	Non comment
	silver metal	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(004)-					
56	electrolytic capacitor-brown	Hg	BL	NA	Pass	Non comment
	paper	Cr	BL			
		Br	BL			
		Pb	BL			Non comment
	PCB(004)-	Cd	BL			
57	electrolytic capacitor-dark silver metal	Hg	BL	NA	Pass	
		Cr	BL			
		Br	NA			
		Pb	BL	NA		Non comment
	PCB(004)-	Cd	BL		Pass	
58	electrolytic capacitor-black soft plastic	Hg	BL			
		Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(004)-	Cd	BL			
59	electrolytic capacitor-pin-silver	Hg	BL	NA	Pass	Non comment
	metal	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(004)-carbon	Cd	BL	NA		
60	resister-grey solid with multicolor	Hg	BL		Pass	Non comment
	coating	Cr	BL			
		Br	BL			





No.: ED180820044C Page 13 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
		Cd	BL			
61	PCB(004)-carbon resister-white fabric	Hg	BL	NA	Pass	Non comment
	recipies winterfaction	Cr	BL			
		Br	BL			
		Pb	BL			
	PCB(004)-carbon	Cd	BL			
62	resister-pin-silver	Hg	BL	NA	Pass	Non comment
	metal	Cr	BL			
		Br	NA			
	PCB(004)-CBB capacitor-dark brown solid	Pb	BL			
		Cd	BL			
63		Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
		Pb	BL			
		Cd	BL			Non comment
64	PCB(004)-CBB capacitor-silver foil	Hg	BL	NA	Pass	
	Capacitor Cirvor Toll	Cr	BL			
		Br	NA			
		Pb	BL			
	PCB(004)-CBB	Cd	BL			
65	capacitor-pin-silver	Hg	BL	NA	Pass	Non comment
	metal	Cr	BL			
		Br	NA			
		Pb	BL			
		Cd	BL	NA		
66	PCB(004)-solder- silver metal	Hg	BL		Pass	Non comment
	Silver Hietai	Cr	BL			
		Br	NA			





No.: ED180820044C Date: August 30, 2018 Page 14 of 21

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	BL			
	Power socket-	Cd	BL			
67	translucent hard	Hg	BL	NA	Pass	Non comment
	plastic	Cr	BL			
		Br	BL			
		Pb	BL			
	Power socket-	Power socket. Cd BL				
68	contact plate-silver	Hg	BL	NA	Pass	Non comment
	metal	Cr	BL			
		Br	NA			
		Pb	BL	NA		Non comment
	Power socket- solder-silver metal	Cd	BL			
69		Hg	BL		Pass	
		Cr	BL			
		Br	NA			
		Pb	BL	NA		
	Connector wire-	Cd	BL		Pass	Non comment
70	jacket-black soft plastic with grey	Hg	BL			
	coating	Cr	BL			
		Br	BL			
		Pb	BL			
	Connector wire-	Cd	BL			
71	skin-white soft	Hg	BL	NA	Pass	Non comment
	plastic	Cr	BL			
		Br	BL			
		Pb	BL			
	Connector wire-	Cd	BL	NA	Pass	
72	skin-black soft	Hg	BL			Non comment
	plastic	Cr	BL			
		Br	BL			





No.: ED180820044C Page 15 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
	Connector wire- skin-red soft plastic	Pb	BL	NA NA	Pass	Non comment
		Cd	BL			
73		Hg	BL			
		Cr	BL			
		Br	BL			
		Pb	BL			
	Connector wire-	Cd	BL		Pass	Non comment
74	skin-brown soft	Hg	BL	NA		
	plastic	Cr	BL			
		Br	BL			
	Connector wire- skin-yellow soft plastic	Pb	BL	NA	Pass	Non comment
		Cd	BL			
75		Hg	BL			
		Cr	BL			
		Br	BL			
	Connector wire- skin-green soft plastic	Pb	BL	NA		Non comment
		Cd	BL		Pass	
76		Hg	BL			
		Cr	BL			
		Br	BL			
	Connector wire- core-silver metal	Pb	BL	NA -	Pass	Non comment
		Cd	BL			
77		Hg	BL			
		Cr	BL			
		Br	NA			
	Power wire-plug- black soft plastic	Pb	BL			
		Cd	BL	NA	Pass	Non comment
78		Hg	BL			
		Cr	BL			
		Br	BL			





No.: ED180820044C Page 16 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
	Power wire-plug- silver metal	Pb	OL	Pb:17116	Pass	As declared by client, the material should be exempted for lead content requirement according to Annex clause 6(c).
		Cd	BL			
79		Hg	BL			
		Cr	BL			
		Br	NA			
		Pb	BL		Pass	Non comment
		Cd	BL			
80	Power wire-plug- white hard plastic	Hg	BL	PBBs:ND PBDEs:ND		
		Cr	BL			
		Br	X			
	Power wire- terminal-silver metal	Pb	OL	Pb:17529	Pass	As declared by client, the material should be exempted for lead content requirement according to Annex clause 6(c).
81		Cd	BL			
		Hg	BL			
		Cr	BL			
		Br	NA			
	Power wire- terminal-black soft plastic	Pb	BL			
82		Cd	BL			
		Hg	BL	NA	Pass	Non comment
		Cr	BL			
		Br	BL			
83	Power wire- terminal-black hard plastic	Pb	BL	NA Pa	Pass	Non comment
		Cd	BL			
		Hg	BL			
		Cr	BL			
		Br	BL			
	TO THE THE THE TAX THE THE TAX THE TAX TO	THE RESERVE OF A PARTY				





No.: ED180820044C Page 17 of 21 Date: August 30, 2018

No.	Sample description	Restricted substances	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark	
	Power wire- terminal-pin-silver metal	Pb	BL				
		Cd	BL				
84		terminal-pin-silver	Hg	BL	NA	Pass	Non comment
		Cr	BL				
		Br	NA				
		Pb	BL		Pass	Non comment	
	Power wire-jacket-	Cd	BL				
85	black soft plastic	Hg	BL	NA			
	with grey coating	Cr	BL				
		Br	BL				
		Pb	BL		Pass	Non comment	
	Power wire-skin- green soft plastic	Cd	BL	NA			
86		Hg	BL				
		Cr	BL				
		Br	BL				
87	Power wire-skin- brown soft plastic	Pb	BL	NA	Pass	Non comment	
		Cd	BL				
		Hg	BL				
		Cr	BL				
		Br	BL				
	Power wire-core- copper metal	Pb	BL	NA	Pass	Non comment	
88		Cd	BL				
		Hg	BL				
		Cr	BL				
		Br	NA				
89	Screw-silver metal with black coating	Pb	BL	NA	Pass	Non comment	
		Cd	BL				
		Hg	BL				
		Cr	BL				
		Br	NA				





No.: ED180820044C Date: August 30, 2018 Page 18 of 21

- Remark: (1) ① Results are obtained by XRF for primary screening, and further wet chemical testing by ICP-OES / AAS (for Cd, Pb, Hg), UV-VIS (for Cr(VI)) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if an inconclusive result was found (as "X" in below table) (unit: mg/kg).
 - ② OL = Over Limit, BL = Below Limit, X = Inconclusive, NA= Not Applicable.
 - ③ The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.

Element Polymer		Metal	Composite Materials
Cd	$BL \leq (70\text{-}3\sigma) < X < (130\text{+}3\sigma)$ $\leq OL$	$BL \leq (70\text{-}3\sigma) < X < (130\text{+}3\sigma)$ $\leq OL$	LOD < X <(150+3 σ)≤ OL
Pb	BL \leq (700-3 σ) < X < (1300+3 σ) \leq OL	BL ≤ (700-3 σ) < X < (1300+3 σ) ≤ OL	BL ≤(500-3 σ)< X <(1500+3 σ)≤ OL
Hg	BL ≤(700-3 σ)< X <(1300+3	<i>θ</i>) ≤ 0L BL ≤ (700-3 <i>σ</i>) < X < (1300+3	BL ≤(500-3 σ)< X <(1500+3
	<i>σ</i>)≤ O L	<i>σ</i>)≤ O L	<i>σ</i>)≤ O L
Br	BL ≤ (300-3 σ)< X	NA	$BL \leq (250-3\sigma) < X$
Cr	BL ≤ (700-3 <i>σ</i>)< X	BL ≤ (700-3 <i>σ</i>)< X	BL ≤ (500-3 <i>σ</i>)< X

- (2) ① mg/kg = ppm = 0.0001%, ND = Not Detected (Less than reporting limit value.).
 - 2 Unit, Reporting Limit (RL) and Requirement limit in wet chemical test.

Test items	Pb	Cd	Hg	Cr6+(Non-metal)	Cr ⁶⁺ (metal)	PBBs(single)	PBDEs(single)
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RL	2	2	2	2	2	5	5
Requirement Limit	1000	100	1000	1000	Negative	1000	1000

- 3 According to IEC 62321-7-1:2015 & IEC 62321-7-2:2017, result on Cr⁶⁺ for metal sample is shown as Positive/Negative.
 - Negative = Absence of Cr^{6+} coating, Positive = Presence of Cr^{6+} coating. Storage condition and production date of the tested sample are unavailable and thus results of Cr^{6+} represent status of the sample at the time of testing.
- ④ According to IEC 62321-3-1:2013, this column represents the results of wet chem test. And "NA" means no need to perform wet chem test, when the XRF screening results are qualified.





No.: ED180820044C Date: August 30, 2018 Page 19 of 21

Photo Appendix



* * * * * * The End * * * * * *





No.: ED180820044C Date: August 30, 2018 Page 20 of 21

ANNEX

EXEMPTION LIST

- Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):
- 1(a) For general lighting purposes < 30W: 5mg (expires on 31 December 2011; 3.5mg may be used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012)
- 1(b) For general lighting purposes ≥ 30W and <50W: 5mg (expires on 31 December 2011; 3.5mg may be used per burner after 31 December 2011)
- 1(c) For general lighting purposes ≥ 50W and <150W: 5mg
- 1(d) For general lighting purposes ≥ 150W: 15mg
- 1(e) For general lighting purposes with circular or square structural shape and tube diameter ≤17mm (no limitation of use until 31 December 2011; 7mg may be used per burner after 31 December 2011)
- 1(f) For special purposes: 5mg
- 1(g) For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3,5 mg (Expires on 31 December 2017)
- 2(a) Mercury in double-capped linear fluorescent lamps for general lighting purples not exceeding (per lamp):
- 2(a)(1) Tri-band phosphor with normal lifetime and a tube diameter < 9mm (e.g. T2): 5mg (expires on 31 December 2011; 4mg may be used per lamp after 31 December 2011)
- 2(a)(2) Tri-band phosphor with normal lifetime and a tube diameter ≥ 9mm and ≤ 17mm (e.g. T5): 5mg (expires on 31 December 2011; 3mg may be used per lamp after 31 December 2011)
- 2(a)(3) Tri-band phosphor with normal lifetime and a tube diameter > 17mm and ≤ 28mm (e.g. T8): 5mg (expires on 31 December 2011; 3.5mg may be used per lamp after 31 December 2011)
- 2(a)(4) Tri-band phosphor with normal lifetime and a tube diameter > 28mm (e.g. T12): 5mg (expires on 31 December 2012; 3.5mg may be used per lamp after 31 December 2012)
- 2(a)(5) Tri-band phosphor with long lifetime (≥ 25000h): 8mg (expires on 31 December 2011; 5mg may be used per lamp after 31 December 2011)
- 2(b) Mercury in other fluorescent lamps not exceeding (per lamp):
- 2(b)(2) Non-linear halophosphate lamps (all diameters): 15mg (expires on 13 April 2016)
- 2(b)(3) Non-linear tri-band phosphor lamps with tube diameter > 17mm (e.g. T9) (no limitation of use until 31 December 2011; 15mg may be used per lamp after 31 December 2011)
- 2(b)(4) Lamps for other general lighting and special purposes (e.g. induction lamps) (no limitation of use until 31 December 2011; 15mg may be used per lamp after 31 December 2011)
- 3 Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp):
- 3(a) Short length (≤ 500mm) (No limitation of use until 31 December 2011; 3.5mg may be used per lamp after 31 December 2011)
- 3(b) Medium length (> 500m and ≤ 1500mm) (No limitation of use until 31 December 2011; 5mg may be used per lamp after 31 December 2011)
- 3(c) Long length (> 1500mm) (No limitation of use until 31 December 2011; 13mg may be used per lamp after 31 December 2011)
- 4(a) Mercury in other low pressure discharge lamps (per lamp) (no limitation of use until 31 December 2011; 15mg may be used per lamp after 31 December 2011)
- 4(b) Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60:
- 4(b)-I P ≤ 155W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011)
- 4(b)-II 155W < P ≤ 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011)
- 4(b)-III P > 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011)
- 4(c) Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner):
- 4(c)-I $P \le 155W$ (no limitation of use until 31 December 2011; 25mg may be used per burner after 31 December 2011) 4(c)-II $155W < P \le 405W$ (no limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011)
- 4(c)-III P > 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011)
- 4(d) Mercury in High Pressure Mercury (vapour) lamps (HPMV) (expires on 13 April 2015)
- 4(e) Mercury in metal halide lamps (MH)
- 4(f) Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex
- 4(g) Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and lightartwork, where the mercury content shall be limited as follows: (Expires on 31 December 2018)
 - (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 ° C;
 - (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.





No.: ED180820044C Date: August 30, 2018 Page 21 of 21

ANNEX

EXEMPTION LIST

Continued

+ 77 X 2	[[마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마마
5(a)	Lead in glass of cathode ray tubes
5(b)	Lead in glass of fluorescent tubes not exceeding 0.2% by weight
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight
6(b)	Lead as an alloying element in aluminium containing up to 0.4% lead by weight
6(c)	Copper alloy containing up to 4% lead by weight.
7(a)	Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead)
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications
7(c)-l	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound
7/-> 11	1 - 4 1

- 7(c)-II Lead in dielectric ceramic in capacitors for a rated voltage of 125V AC or 250V DC or higher
- 7(c)-III Lead in dielectric ceramic in capacitors for a rated voltage of less than 125V AC or 250V DC (expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013).
- 7(c)-IV Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors
 8(a) Cadmium and its compounds in one shot pellet type thermal cut-offs (expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012)
- 8(b) Cadmium and its compounds in electrical contacts
- 9 Hexavalent chromium as an anti-corrosion agent of the carbon steel cooling system in absorption refrigerators up to 0.75% by weight in the cooling solution
- 9(b) Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications
- 11(b) Lead used in other than C-press compliant pin connector systems (expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013)
- 13(a) Lead in white glasses used for optical applications
- 13(b) Cadmium and lead in filter glasses and glasses used for reflectance standards
- Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80% and less than 85% by weight (expires on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011)
- 15 Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit Flip Chip packages
- Lead halide as radiant agent in High Intensity Discharge (HID) lamps used for professional reprography applications
- 18(b) Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi₂O₅:Pb)
- 21 Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glass
- 24 Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors
- Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring
- Lead bound in crystal glass as defined in Annex 1 (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC
- 30 Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more
- 31 Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)
- 32 Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes
- Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers
- Lead in cermet-based trimmer potentiometer elements
- Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body
 Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide
- 39 Cadmium in colour converting II-VI LEDs (< 10 μg Cd per mm² of light- emitting area) for use in solid state illumination or display systems (expires on 1 July 2014)
- Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council (2)) (Expires on 31 December 2018)

