

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes AR/VR Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ARVR Glasses			
Commercial name *	enovo Glass T1, Legion Glasses			
Model number *	ZABB,GY21M72722			
Issue date *	2023.02.20, updated 2023.12.06			
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🔛 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	ZABB,GY21M72722	Logo	Len	ovc	
Issue da	ate *	2023-2-20				
Produc	t environ	mental attributes - Legal requirements		Require	ment	met
Item		• ·		Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloroe	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).	lorinated	\square		
P1.5*		e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	ek 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal X III IIII IIIIIIIIIIIIIIIIIIIIIIIIII					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec https://v	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference)	· 🛛		
P3.2*		luct complies with the Eco design requirements for energy-related products.				\square
	(see legal reference).					
	Required information is; given in item P15 or added to this document, available at (add URL):					
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5	· ·	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	and 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		ZABB,GY21M72722 2023-2-20		Lenovo			
				Len	Lenovo.		
Produc		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, Recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\square		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				\boxtimes	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\times		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools	s. 🛛			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Π		
	Product	lifetime					
P7.7*		g can be done e.g. with processor, memory, cards or drives			\square		
P7.8*	Upgradir	g can be done using commonly available tools		Ē		Ē	
P7.9		Ints are available after end of production for: 1 years					
P7.10		s available after end of production for: 1 years				⊢⊢	
		and substance requirements					
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):	al type: SUS6	30			
P7.12		n materials of external electrical cables are PVC free.	a gpor				
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low halogen 🔀 🔲 as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR40</i>						
P7.18	concentrations above 0,1%: Image: CAS #: (See NOTE B4) 1. Chemical name: , CAS #: Image: CAS #: 2. Chemical name: , CAS #: Image: CAS #:						
		ical name: , CAS #: "		_	_		
B= / -		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		<u> </u>	<u> </u>		
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:					
			See note B5)				
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	it (calculated a	as			
	b) The	weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZABB,GY21M72722 2023-2-20	Logo	Lenovo.
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

	Material and su	bstance requirements (continued)			
P7.21*	Biobased plastic	material content is used	in the product (See No	DTE B7):		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 					
P7.22*	b) The weight of the biobased plastic material is g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp. Image: Comparison of the biobased plastic material is					
	If mercury is use	ed specify: Number of lar		um mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	Battery chemica	1				
P9		nption (See NOTE B8)				
P9.1		the following power levels				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy X modes and test method *	
Peak (On-	-max)	W	W	W	Full load	
<u>Catego</u>	<u>ry</u>					
	ad supply / charger plugged in t sconnected from the product		W	W		
PTEC *	ergy Consumption	W	W	W		
ETEC * Annual En	ergy Consumptior	kWh/year	kWh/year	kWh/year		
	· ·	ency Level (International	Efficiency Marking Pro	tocol) * :		
	,	megapixels	Emolency Marking Pre			
	ne to enter energy	save mode: minut	es			
P9.2*	Information abo	ut the energy save function	on is provided with the	product.		
P9.3	Energy efficience	y class (monitors only):				
P10	Emissions	<u>, , , , , , , , , , , , , , , , , , , </u>				
		- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description			nit A-weighted sound power level, L _{WA,c} (B)	
	Idle	*		*		
	Operation	*		*		
	Other mode	Declared A-weighted sound	l pressure level (dB) L _p Am	(operator p	osition desktop – idle)	
	Other mode	Declared A-weighted sound	I pressure level (dB) L _p Am	(operator p	osition desktop – operating)	
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	ZABB,GY21M727	722			Logo	Leno	VO.	м
Issue date	*	2023-2-20							
Product	environr	nental attributes	- Market requirement	s (continued)			Require	ment	met
Item	-						Yes	No	n.a.
		nagnetic emission							
P10.4	program	(s):	e requirement for low frequ	ency electromagneti	c fields of the foll	lowing voluntary			
P12		nics for computin							
P12.1*			nomic requirements of ISO			gies.			\square
P12.2*	The phy	sical input device m	eets the requirements of IS	SO 9995 and ISO 92	41-410.				\boxtimes
P13	Packagi	ng and document	ation						
P13.1*	Product Product	packaging material packaging material	type(s): Paper - cardboar type(s): Paper - molded p type(s): Paper-cushion		.235				
P13.2*	Product	plastic primary pac	kaging is free from PVC.				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1			irements of the following v	oluntary program(s):					
	ENERG` Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se							
	NOTE: S informati knowled	Supplier makes no r on contained in this ge available at the here is approxima	pecific configuration may epresentations, guarantee s document. All information time of completion, and sup te and provided for informa	s, assurances or war i provided by supplie pplier shall have no c	ranties whether r in this docume obligation to upda	express or impl nt is provided ba ate such informa	ied, regardin ased on supp ation. The inf	olier's formati	on

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1