




Jake & Jacky

design for pet and owner



Top Entry Stainless Steel Litter Box User Manual

Model: JJ-K-003G

Before using this product, please read this manual carefully and keep it for future reference.

a brand by S^od

Message to our valued customers

Thank you for choosing our cat litter box. We are doing our best to make life easier for you and your cat(s).

Please read this user manual carefully before using. You are supposed to find detailed instruction about every aspect of our cat litter box.


Specification

Weight: 5kg

Material: stainless steel + PP + ABS

Maximum litter capacity: 37 L


Litter replacement period: 30 days for 1 cat,
15 days for 2 cats




How to get your cat used to the litter box quickly

Put the cat's used litter and its excrement into the new litter box. Let the cat have a familiar feeling of the new toilet.

What's in the box



Stainless steel bottom




Footboard



Middle part



Top cover




Litter scoop + holder




Anti-slip stickers

How to assemble

Method 1:



1. Place the enclosure over the RVS bottom and align the edge. Pull the two snaps on each side slightly to the outside.




2. Press down the snaps.

Method 2:





1. Place one side of the enclosure over the RVS bottom, pull the snap outward and press down. A "click" indicates that the installation is complete.



2. Then pull the snap on the other side outward and press down.

Anti-slip sticker: Paste the anti-slip stickers on the 4 corners of the RVS bottom and on the bottom of the footboard.


How to remove the enclosure



1. Lift it up to take it out. Pull the snap in the middle of the enclosure to both sides slightly, and then upper cover.
2. To open the upper cover, press the “push” button on the left and right of the upper cover to remove the upper cover.


Pull the snaps on both sides of enclosure slightly, and then lift it up.

Install the bamboo charcoal packet



Flip the lid over to open the lid of the box, put the charcoal bag into the box, and fasten the lid.

Note: sometimes the filter has already been placed



The litter box should be cleaned with water and a mild detergent.

After sale service

Thanks for choosing Jake & Jacky stainless steel cat litter box, we offer 1 year warranty. If you have any problems with your product, please contact us. Be sure to include your order number and any relevant photos or videos to speed up the process.


You can contact us by mail: info@jakeandjacky.com

Thank you for choosing Jake & jacky!



Jake & Jacky

design for pet and owner



Top Entry Roestvrijstalen Kattenbak Gebruikershandleiding

Model: JJ-K-003G

Lees deze handleiding aandachtig door voordat u dit product gebruikt en bewaar deze voor toekomstig gebruik.

a brand by S^od

Bericht voor onze klanten

Bedankt dat u voor onze kattenbak hebt gekozen! We doen ons best om het leven makkelijker te maken voor u en uw kat(ten). In deze handleiding vindt u alle benodigde informatie voor een juiste installatie.

Specificatie


Gewicht: 5kg

Materiaal: roestvrij staal + PP + ABS

Maximale kattenbakvulling: 37 L

Vervangingsperiode voor kattenbakvulling:


30 dagen voor 1 kat, 15 dagen voor 2 katten




Hoe laat je je kat wennen aan de kattenbak?

Doe wat gebruikte kattenbakvulling van de kat en uitwerpselen in de nieuwe kattenbak. Op deze manier krijgt de kat sneller een vertrouwd gevoel


Wat zit er in de doos



Roestvrij stalen bodem




Gritopvang opstapje



Middendeel



Bovenzijde




Kattenbakschep + houder




Antislip stickers

Hoe te monteren

Methode 1:



1. Plaats het middenstuk over de RVS-bodem. Trek beide zijden iets naar buiten.




2. Druk het middenstuk goed aan en zorg ervoor dat deze goed over de RVS-bodem rand valt, dit om urine lekkage te voorkomen. Een "Klik" geeft aan dat de installatie is voltooid.

Methode 2:





1. Plaats een kant van het middenstuk over de RVS-bodem. Trek de zijkant iets naar buiten en plaats deze over de rand van de RVS-bodem en druk naar beneden. Een "Klik" geeft aan dat de installatie is voltooid.



2. Trek vervolgens de zijkant van de andere zijde iets naar buiten en herhaal de eerdere stap.

Antislip sticker: Plak de antislip stickers op de 4 hoeken van de RVS-bodem en aan de onderzijde van het gritopvang opstapje.


Hoe middenstuk en deksel te verwijderen



1. Trek de zijanten van het middenstuk iets naar buiten en trek deze vervolgens omhoog en van de bodem af.
2. Om enkel de deksel te openen, drukt u op de 2 oranje "druk"-knoppen links en rechts van de deksel.


Door beide knoppen in te drukken wordt de deksel ontgrendeld.

Installeer het geurstoffilter



Open het vakje bovenop de deksel en plaats het filter. Sluit deze vervolgens weer goed af.

Let op: soms is het filter al geplaatst.



De kattenbak schoon te maken met water en een mild schoonmaakmiddel

Service na aankoop

Bedankt dat u voor onze Jake & Jacky RVS-kattenbak hebt gekozen. Wij bieden 1 jaar garantie. Als u problemen ervaart met het product, neem dan contact met ons op. Zorg ervoor dat u een bestelnummer en relevante foto's of video's meestuurst zodat we u sneller van dienst kunnen zijn.

Wij zijn per mail te bereiken: info@jakeandjacky.com

Bedankt dat u voor Jake & Jacky hebt gekozen!