



中国认可
国际互认
检测
TESTING
CNAS L5012

1 Floor, No.14 building, Small and Medium
sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70
Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com

TEST REPORT

Page 1/3

Report No.: D210202353_1

03 March 2021

APPLICANT: SHENZHEN HONGFUYA TRADE CO., LTD 深圳市弘富雅贸易有限公司 (C36540)

NO F069, 6F THE 1ST TRADING SQUARE
CHINA SOUTH CITY, PINGHU, LONGGANG
DIST. 龙岗区平湖镇华南城一号交易广场6楼F区069
SHENZHEN GUANGDONG
CHINA

Date of receipt : 24 Feb. 2021

Testing period : 26 Feb. 2021

: 02 Mar. 2021

Buyer: —

Sample description: TOUCH SCREEN SYNTHETIC FABRIC WORK GLOVES WITH POLYESTER PALM REINFORCEMENT

Style / Article no. : 9022

Test(s) requested : PHYSICAL & CHEMICAL TEST

Service : REGULAR

Brand / Section : OZERO

Season : —

End use : —

Factory name : SHENZHEN BEIMELLI MANUFACTURE CO., LTD

Factory code : —

For CE Marking : Yes

Previous report : —

Product category : GLOVE

Product type : —

Test stage : FIRST TEST

Supplier name : —

Exported to : —

1. Conclusion:

	Tests description	Conformity
	EN ISO 21420/EN 388	
1	Tear strength resistance: 2016	Level 2
2	pH - Textile (KCl solution)	Pass
3	Aromatic amines derived from azo colorants	Pass


Pass: requirements met Fail: requirements not met None: no requirement for this test N/A: not applicable

Approved by

Leo TOM KIT FAI
Operational Manager

The report is issued by CTC Dongguan under its General Conditions printed overleaf. The results shown in this report refer only to the sample(s) tested. Except by special arrangement, the test items will not be retained by CTC Dongguan for more than 3 months. The test report shall not be reproduced, except in full, without the written approval of the testing laboratory.

To declare the conformity to the requirement, the uncertainty of measurement, associated to the test results, has not been taken into account.



TEST REPORT

Page 2/3

Report No.: D210202353_1

03 March 2021


APPLICANT: SHENZHEN HONGFUYA TRADE CO., LTD 深圳市弘富雅贸易有限公司 (C36540)

2. Sample(s) description assigned by laboratory:

- 1 PALM/BACK FINGERS - BLACK SYNTHETIC FABRIC - 60%NYLON+40%PU [SF-01]
- 2 PALM REINFORCEMENT/ PALM FINGERS - BLACK 30%PU+70%POLYESTER [PU-01]
- 3 PALM FINGERS (THUMB & INDEX FINGER) - BLACK 30%PVC & PU+70%POLYESTER [PU-02]
- 4 FOURCHETTE - BLACK 100%POLYESTER [PES-01]
- 5 BACK - BLACK TEXTILE - 94%POLYESTER+6%SPANDEX [SP-01]
- 6 INTERLAYER (BACK TEXTILE) - GREY FOAM [LIN-01]
- 7 LINING (BACK TEXTILE) - BLACK 100%POLYESTER [LIN-02]
- 8 BACK/BACK OF INDEX FINGER/CUFF - BLACK SUFACE 100%POLYESTER+SBR (STYRENE BUTADIENE RUBBER) [SBR-01]
- 9 BINDING - BLACK 100%POLYESTER [PES-02]
- 10 VELCRO STRAP - BLACK/WHITE PVC [PVC-01]



D210202353-1



D210202353-2

TEST REPORT

Report No.: D210202353_1

Page 3/3

03 March 2021

APPLICANT: SHENZHEN HONGFUYA TRADE CO., LTD 深圳市弘富雅贸易有限公司 (C36540)

3. Gloves (2 pairs)/--

Whole glove : Palm

	Method	Client Requirement	Unit	Result	Conformity
▲ 4.1. Tear strength resistance: 2016	EN 388:2016				
Tear strength			N	35	
Tear strength (2)			N	42	
Tear strength (3)			N	32	
Tear strength (4)			N	33	
Performance level				2	

Back : Black textile 94% polyester/6% spandex

	Method	Client Requirement	Unit	Result	Conformity
(+) 4.2. pH - Textile (KCl solution)	ISO 3071:2020				Pass
pH value		3.5< - <9.5		5.8	
(+) 4.2. Aromatic amines derived from azo colorants	ISO 14362-1:2017 (combined extraction)				Pass
Accessible with fibre extraction		<30	mg/kg	<5	
Accessible without fibre extraction		<30	mg/kg	<5	

Interlayer(back textile) : Grey foam

	Method	Client Requirement	Unit	Result	Conformity
(+) 4.2. pH - Textile (KCl solution)	ISO 3071:2020				Pass
pH value		3.5< - <9.5		5.9	

END OF TEST REPORT

(+)CNAS accreditation

▲: The test was carried out by external accredited laboratory under their accreditation scope.