



# **HUAWEI** 4G Mobile WiFi 3

- Plug & Play
- 4G LTE up to 300Mbps(DL)/100Mbps(UL)
- Wi-Fi 2.4GHz & 5GHz Dual Band
- 1500mAh Battery
- Connect up to 32 Devices

<sup>\*</sup>Theoretical value. All the datas are from HUAWEI test labs.



# **HUAWEI** 4G Mobile WiFi 3

# **Lauching Information**

Product Name HUAWEI 4G Mobile WiFi 3

Model/Certified Model E5783-230a

**Appearance** 

Color

Note: For reference only, actual product colors may vary.

Dimensions 108 mm x 62 mm x 16 mm

Note: The size may vary depending on configuration, manufacturing process, or measurement.

Approximately 87 g (including the battery)

Weight Note: The actual weight may vary depending on configuration, manufacturing process, or measurement.

Micro USB port: 1

Ports Micro-SIM card slot (3FF): 1

Buttons Power button: 1
Reset button: 1

LED Indicators Signal, Battery

#### **Network Parameter**

Max. DL: 300 Mbps

4G Data Rates Max. UL: 100 Mbps

Theoretical value. The actual rate varies with the operator, network conditions, distance, and terminal type.

4G Category Cat 7

4G MIMOs 2x2 MIMO

Antenna Type Built-in 4G/3G main and diversity antennas

#### Wi-Fi Parameter

Wi-Fi Network Standard Wi-Fi 5 (802.11 ac) compatible with Wi-Fi 4 (802.11n)

Wi-Fi Frequency 2.4GHz 5GHz

Wi-Fi Data Rates 2.4GHz: 300 Mbps (theoretical value)

5GHz: 867 Mbps (theoretical value)

**5GHz Preferred** Not Supported

Max. Wi-Fi Connections 32 (theoretical value)
2.4GHz: 2×2 MIMO

Wi-Fi MIMOs

5GHz: 2×2 MIMO

Antenna Type Built-in dual-band Wi-Fi antenna, non-removable

WPS Supported

Wi-Fi Extender Supported Wi-Fi offload

Mesh Networking Not Supported

Wi-Fi Encryption
Authentication

None (Open), WPA2-PSK, and WPA/WPA2-PSK

Wi-Fi Auto-off Supported

Wi-Fi Broadcasting

and Hiding Supported

SSID Modification Supported



## **Operation Parameter**

Memory Capacity RAM: 256 MB

ROM: 256 MB

Expandable SD Card Not Supported

Operating Temperature  $0 \,^{\circ}\text{C} \sim 35 \,^{\circ}\text{C}$ 

Storage Temperature -20 °C ~+60 °C

### **Power Supply/Battery**

AC: 100 V~240 V

DC: 5 V/1 A

Power Consumption < 4.5 W

Battery Rechargeable lithium battery (removable)

Battery Capacity 3.8V, 1500mAh (typical value)

Max. Working Time 6hrs (depending on the network)

Max. Standby Time 350hrs (depending on the network)

#### **Software Features**

APP	Supported: HUAWEI AI Life APP	
Web Address	Supported: Default DHCP Address: 192.168.8.1	
	Windows 7, Windows 8, Windows 81, Windows 10 (excluding Windows RT), Mac OS X 10.12, 10.13, 10.14 and 10.15	

Supported Operating Systems

Your computer should also meet the recommended hardware requirements for the operating system installed

OTA Supported

SkyTone Not Supported
SMS Supported

SMS Storage Capacity 500

Traffic Statistics Supported

MAC Address Filtering Supported

MAC Address Cloning Not Supported

QoS/Bandwidth Control Not Supported

Anti-brute Force Cracking Supported

Firewall Supported

DoS Attack Protection Supported

VPN Support VPN Passthrough

Need custiomized: L2TP VPN client, PPTP VPN client, IPSec VPN Client

NAT Supported
DMZ/Port Mapping Supported

DNS Supported

DDNS Not Supported

IPv6/IPv4 dual stack and IPv4 only

PPPoE Not Supported

Static/Dynamic IP Address Not Supported

# **Packing List**

N 4 - I- : I - NA /: F:

	Modile Wifi	i (Standard)
_	Rechargeable battery (removable)	1 (Standard)
	USB Cable	1 (17cm, Standard)
_	Quick Start Guide (Including safety information)	1 (Standard)
	Charger	1 (Optional)
_	USB Cable	1 (100cm, Optional)
	Warranty card	1 (Optional)

(Ctandard)