

KUMTEL

HEATERS CATALOGUE

INFRARED HEATERS



QUARTZ HEATERS



MICA HEATERS



FAN AND CONVECTOR HEATERS



www.kumtel.com

2020-2021

Kumtel Heaters Family...



Infrared, Quartz, Mica, Fan and Convector Heaters





Index



Infrared Heaters 3-14



Quartz Heaters 15-24



Mica Heaters 25-30



Fan and Convector Heaters 31-36



Energy-related Products 37-48



Important Informations 49-56

Infrared Heaters







EX-23

2300 W Total Power
220~240 Volt
Adjustable Thermostat
Infrared Heating Element
Mountable on Wall



EX-25

2500 W Total Power
220~240 Volt
Adjustable Thermostat
Infrared Heating Element
Mountable on Wall





EX-25 ECOPLUS


2500 W Total Power

220~240 Volt

Adjustable Thermostat

Infrared Heating Element

Mountable on Wall



Waterproof design

Adjustable Thermostat


Metal Body

Stylish Design

Wall Mounted



IP 55



WATERPROFF HEATER

www.kumtel.com



EXO-20/23/25

2000/2300/2500 W Total Power

220~240 Volt


Adjustable Thermostat

Infrared Heating Element

Mountable On Wall

Waterproof Design





CX-25

2000 W Total Power
220~240 Volt
Adjustable Thermostat
Infrared Heating Element
Mountable on Wall



DX-25

2500 W Total Power
220~240 Volt
Adjustable Thermostat
Double Infrared Heating Element
Heater Control Setting
Mountable On Wall





EXP-18

- 1800 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- Infrared Heating Element
- Mountable on Wall
- Rollover Safety



DXP-20

- 2000 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- Double Infrared Heating Element
- Heater Control Setting
- Mountable on Wall
- Rollover Safety





KS-2822

1200 W Total Power
220~240 Volt
Infrared Heating Element
Rollover Safety



KS-2825

1200 W Total Power
220~240 Volt
Infrared Heating Element
Rollover Safety
2 different power use





KS-2761

- 2250 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- 3 Infrared Heating Element
- Rollover Safety



KS-2861

- 2700 Watt
- 220~240 Volt
- Adjustable Thermostat
- 3 Infrared Heating Element
- Rollover Safety
- Steam







Quartz Heaters







KS-2700

2000 W Total Power
220~240 Volt
Adjustable Thermostat
3 Quartz Heating Element
Operates on 3 Different Power Levels
Rollover Safety



KS-2710

2800 W Total Power
220~240 Volt
Adjustable Thermostat
5 Quartz (3 at the front, 2 on top) Heating Element
Operates on 4 Different Power Levels
Rollover Safety





KS-2760

2200 W Total Power
220~240 Volt
Adjustable Thermostat
4 Quartz Heating Element
Rollover Safety



KS-2763

1800 W Total Power
220~240 Volt
3 Quartz Heating Element
Rollover Safety





KS-2811

2200 W Total Power
220~240 Volt
Adjustable Thermostat
4 Quartz Heating Element
Rollover Safety
Fan
Steam
Warning Alarm



KS-2811-6

2200 W Total Power
220~240 Volt
Adjustable Thermostat
6 Quartz (4 at the front, 2 on top) Heating Element
Rollover Safety
Fan
Steam
Warning Alarm





KS-2819

1200 W Total Power
220~240 Volt
2 Quartz Heating Element
Operates on 2 Different Power Levels
Rollover Safety



KS-2820

1500 W
220~240 Volt
3 Quartz Heating Element
Operates on 3 Different Power Levels
Rollover Safety







KS-2830

1800 W Total Power
220~240 Volt
Adjustable Thermostat
3 Quartz Heating Element
Rollover Safety
Fan
Steam



KS-2831

1800 W Total Power
220~240 Volt
Adjustable Thermostat
3 Quartz Heating Element
Rollover Safety
Steam





KS-2832

1500 W Total Power
220~240 Volt
3 Quartz Heating Element
Rollover Safety



KS-2835

1500 W Total Power
220~240 Volt
3 Quartz Heating Element
Rollover Safety
Steam





KS-2860

2500 W Total Power
220~240 Volt
Adjustable Thermostat
5 Quartz Heating Element
Rollover Safety



KS-2861

2500 W Total Power
220~240 Volt
Adjustable Thermostat
5 Quartz Heating Element
Rollover Safety
Steam



Mica Heaters








MH-1800

- 1800 Total Power
- Dual power usage 900/1800 W
- Mica Heating Element
- Adjustable Thermostat
- Rollover Safety
- Signal Lamp for 3 Positions
- Carrying Handle
- Vertical Use
- Easy Foot Mounting and Disassembly



MH-2300


- 2300 W Total Power
- 2 Power stages (1150 , 2300 W)
- Double Mica Heating Element
- Adjustable Thermostat
- Rollover Safety
- Signal Lamp for 3 Positions
- Carrying Handle
- Vertical Use
- Easy Foot Mounting and Disassembly



NEW
PRODUCT



NEW
PRODUCT



MHR-1800

- 1800 W Total Power
- 3 Power Stages (600 , 1200 ,1800 W)
- Mica Heating Element
- Electronic Thermostat
- Rollover Safety
- Digital Display (time, heating level, temperature)
- Carrying Handle
- Vertical Use
- Easy Foot Mounting and Disassembly
- Remote Control




MVR-1800

- 1800 W Total Power
- 3 Power Stages (600 , 1200 ,1800 W)
- Mica Heating Element
- Electronic Thermostat
- Metal Body
- Remote Control
- Digital Display (time, heating level, temperature)
- Automatic Switch Off Time







EXS-21

2100 W Total Power
220~240 Volt
Adjustable Thermostat
Mica Heating Element
Mountable on Wall
Suitable For Horizontal and Vertical Use



NEW
PRODUCT



MV-1800

1800 W Total Power
Outdoor heater/ IP55
Mica Heating Element
Metal Body
Pull Switch Control Feature
Bathroom, Indoor and Outdoor Use
Easy Installation on The Wall
Waterproof



Fan and Convector Heaters







KS-6331

2000 W Total Power

220~240 Volt

Operates on 3 Different

Automatically Turn Off When Overturned or When There Isn't Enough Air

Decorative



KS-6441

2000 W Total Power

220~240 Volt

Operates on 3 Different

Automatically Turn Off When Overturned or When There Isn't Enough Air

Decorative



NEW
PRODUCT



NEW
PRODUCT



KS-2930

2500 W Total Power
220~240 Volt
Adjustable thermostat
2 Power stages (1250 , 2500 W)
Special System That Allows for Heating
Safe, Silent, Lightweight, Decorative
Easy Portable
Mountable on Wall

KS-2930 TNA

2000 W Total Power
220~240 Volt
Special System That Allows for Heating
Safe, Silent, Lightweight, Decorative
Easy Portable
Mountable on Wall





Wall Mountable

Kumtel Convector Heaters Create Different Air in Your Home with the Wall Mounted Option



KS-2900

2000 W Total Power

220~240 Volt

Adjustable Thermostat

Operates on 3 Different Power Levels

Safety System Steps in Case of Overturn

Special System That Allows for Heating

Safe, Silent, Lightweight, Decorative



KS-2910

2000 W Total Power

220~240 Volt

Adjustable thermostat

Operates on 3 Different Power Levels

Safety System Steps in Case of Overturn

Special System That Allows for Heating

Safe, Silent, Lightweight, Decorative

Fan



Energy-related Products







KS-2819

1200 W Total Power
220~240 Volt
2 Quartz Heating Element
Operates on 2 Different Power Levels
Rollover Safety
ERP Compatible



KS-2825

1200 W Total Power
220~240 Volt
Infrared Heating Element
Rollover Safety
2 different power use





KS-2830

- 1800 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- 3 Quartz Heating Element
- Rollover Safety
- Fan
- Steam
- ERP Compatible



KS-2831

- 1800 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- 3 Quartz Heating Element
- Rollover Safety
- Steam
- ERP Compatible





KS-2760

2200 W Total Power
220~240 Volt
Adjustable Thermostat
4 Quartz Heating Element
Rollover Safety
ERP Compatible



KS-2761

2250 Watt
220~240 Volt
Adjustable Thermostat
3 Infrared Tubes
Rollover Safety
ERP Compatible





KS-2765

2200 W Total Power
220~240 Volt
Adjustable Thermostat
5 Quartz (4 at the front, 2 on top) Heating Element
Rollover Safety
ERP Compatible



KS-2766

1200 W Total Power
220~240 Volt
3 Quartz Heating Element
Rollover Safety
ERP Compatible





KS-2700

- 2000 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- 3 Quartz Heating Element
- Operates on 3 different power levels
- Rollover Safety
- ERP Compatible



KS-2710

- 2800 W Total Power
- 220~240 Volt
- Adjustable Thermostat
- 5 Quartz (3 at the front, 2 on top) Heating Element
- Operates on 4 different power levels
- Rollover Safety
- ERP Compatible





KS-2811

2200 W Total Power
 220~240 Volt
 Adjustable Thermostat
 4 Quartz Heating Element
 Rollover Safety
 Fan
 Steam
 Warning Alarm
 ERP Compatible



KS-2811-6

2200 W Total Power
 220~240 Volt
 Adjustable Thermostat
 6 Quartz (4 at the front, 2 on top) Heating Element
 Rollover Safety
 Fan
 Steam
 Warning Alarm
 ERP Compatible





KS-2860

2500 W Total Power
220~240 Volt
Adjustable Thermostat
5 Quartz Heating Element
Rollover Safety
ERP Compatible



KS-2861

2400W/2700 Watt
220~240 Volt
Adjustable Thermostat
3 Infrared Tubes
Rollover Safety
Steam
ERP Compatible





KS-2863


2500 W Total Power
 220~240 Volt
 Adjustable Thermostat
 5 Quartz Heating Element
 Fan
 Steam
 Rollover Safety
 ERP Compatible



EXO-20/23/25

2000/2300/2500 W Total Power
 220~240 Volt
 Adjustable Thermostat
 Infrared Heating Element
 Mountable on Wall
 Waterproof (IP 55)
 ERP Compatible





MH-1200

- 1200 Total Power
- Dual power usage 600/1200 W
- Mica Heating Element
- Adjustable Thermostat
- Rollover Safety
- Signal Lamp for 3 Positions
- Carrying Handle
- Vertical Use
- Easy Foot Mounting and Disassembly
- ERP Compatible



MH-2300

- 2300 W Total Power
- 2 Power stages (1150 , 2300 W)
- Double Mica Heating Element
- Adjustable Thermostat
- Rollover Safety
- Signal Lamp for 3 Positions
- Carrying Handle
- Vertical Use
- Easy foot mounting and disassembly
- ERP Compatible





MV-1800

1800 W Total Power
Outdoor Heater/ IP55
Mica Heating Element
Metal Body
Pull Switch Control Feature
Bathroom, Indoor and Outdoor Use
Easy Installation on The Wall
Waterproof
ERP Compatible



KS-6331

2000 W Total Power
220~240 Volt
Operates on 3 Different
Adjustable Thermostat
Automatically Turn Off When Overturned or When There Isn't Enough Air
Decorative
ERP Compatible



Important Informations





Kumtel Heaters Heated Area

<u>Product</u>	<u>Power</u>	<u>Heating Type</u>	<u>Indoor Heating Area</u>	<u>Outdoor Heating Area</u>
EX-23	2300 W	Infrared	18m ²	28 m ²
EX-25	2500 W	Infrared	20 m ²	30 m ²
EXS-25	2500 W	Infrared	20 m ²	30 m ²
EXO-25	2500 W	Infrared	20 m ²	30 m ²
EXC-25	2500 W	Infrared	20 m ²	30 m ²
DX-25	2500 W	Infrared	20 m ²	30 m ²
EXP-18	1800W	Infrared	14 m ²	24 m ²
DXP-18	1800 W	Infrared	14 m ²	24 m ²
CX-20	2000 W	Infrared	15 m ²	25 m ²
CX-25	2500 W	Infrared	20 m ²	30 m ²
KS-2822	1200 W	Infrared	9 m ²	20 m ²
KS-2825	1200 W	Infrared	9 m ²	20 m ²
KS-2761	2250 W	Infrared	18 m ²	28 m ²
KS-2861 I	2700 W	Infrared	23 m ²	33 m ²
TH-1800	1800 W	Infrared	14 m ²	24 m ²
KC-1800	2300 W	Infrared	18 m ²	28 m ²
EH-2300	1800 W	Infrared	14 m ²	24 m ²
KS-2700	2000 W	Quartz	15 m ²	25 m ²
KS-2710	2800 W	Quartz	24 m ²	34 m ²
KS-2760	2200 W	Quartz	18 m ²	28 m ²
KS-2763	1800 W	Quartz	14 m ²	24 m ²

Product	Power	Heating Type	Indoor Heating Area	Outdoor Heating Area
KS-2811	2200 W	Quartz	18 m ²	28 m ²
KS-2811-6	2200 W	Quartz	18 m ²	28 m ²
KS-2819	1200 W	Quartz	9 m ²	20 m ²
KS-2820	1500 W	Quartz	11 m ²	21 m ²
KS-2830	1800 W	Quartz	14 m ²	24 m ²
KS-2831	1800 W	Quartz	14 m ²	24 m ²
KS-2832	1500 W	Quartz	11 m ²	21 m ²
KS-2835	1500 W	Quartz	11 m ²	21 m ²
KS-2860	2500 W	Quartz	20 m ²	30 m ²
KS-2861	3000 W	Quartz	26 m ²	36 m ²
MH-1800	1800 W	Mica	14 m ²	24 m ²
MH-2300	2300 W	Mica	18m ²	28 m ²
MHR-1800	1800 W	Mica	14 m ²	24 m ²
EXS-21	2100 W	Mica	16 m ²	26 m ²
MVR-1800	1800 W	Mica	14 m ²	24 m ²
MV-1800	1800 W	Mica	14 m ²	24 m ²
KS-6331	2000 W	Fan	15 m ²	25 m ²
KS-6334	2000 W	Fan	15 m ²	25 m ²
KS-2900	2000 W	Convactor	15 m ²	25 m ²
KS-2910	2000 W	Convactor	15 m ²	25 m ²
KS-6441	2000 W	Fan	15 m ²	25 m ²
KS-2930	2200 W	Convactor	18 m ²	28 m ²

Loading Quantity

Product	20 DC	40 DC	40 HC	TRUCK
EX-23	1320	2700	2972	4040
EX-25	1320	2700	2972	4040
EXS-25	1320	2700	2972	4040
EXO-25	1320	2700	2972	4040
EXC-25	1320	2700	2972	4040
DX-25	1320	2700	2972	4040
EXP-18			718	
DXP-18			718	
CX-20	1060	2150	2400	3020
CX-25	1060	2150	2400	3020
KS-2822	1510	3050	3312	4530
KS-2825	1510	3050	3312	4530
KS-2761	430	920	1062	1400
KS-2861 I	225	440	518	720
TH-1800	500	1000	1030	1380
KC-1800	500	1000	1030	1380
EH-2300	500	1000	1030	1380
KS-2700	280	600	670	930
KS-2710	280	600	670	930

Product	20 DC	40 DC	40 HC	TRUCK
KS-2760	430	920	1062	1400
KS-2763	430	920	1062	1400
KS-2811	260	520	576	760
KS-2811-6	260	520	576	760
KS-2819	1850	3200	3690	4970
KS-2820	1850	3200	3690	4970
KS-2830	1000	1900	2300	3200
KS-2831	1000	1900	2300	3200
KS-2832	1000	1900	2300	3200
KS-2835	1000	1900	2300	3200
KS-2860	225	440	518	720
KS-2861	225	440	518	720
MH-1800	500	1000	1030	1380
MH-2300	500	1000	1030	1380
MHR-1800	500	1000	1030	1380
EXS-21	1320	2700	2972	4040
MVR-1800	660	1300	1340	1800
MV-1800	660	1300	1340	1800
KS-6331	2545	5350	5760	8100
KS-6334	2545	5350	5760	8100
KS-2900	600	1300	1460	2300
KS-2910	600	1300	1460	2300

Certifications



Conformity to European Directives



Low Voltage Directive



Electromagnetic Compatibility



Restriction of Hazardous Substances



Waste of Electric & Electronic Equipments

What Does The Icon Mean ?



Thermostat



Controlled Heat



Fan Fetautes



Rool Over Safety



Steam



Waterproff (IP 55)



Remote Control



Warning Alarm



Energy-reladet Product

Energy-Related Products

WHAT IS THE ERP DIRECTIVE ?

The EU's Energy-Related Products Directive (ErP Directive 2009/125/EC) is an eco-design directive and applies to most products that consume energy throughout their lifecycle – from dishwashers to household electronics, to air conditioners, boilers and much more. The ErP directive is intended to encourage manufacturers and importers to provide consumers with products that are more energy efficient.



The scope of ErP certification involves testing a product to prove it consumes energy below agreed limits – once tested, a CE mark will be attached to the product, which permits its sale across the EU.

WHY IS ERP CERTIFICATION IMPORTANT?

Testing a product to ensure compliance with the ErP directive provides access to the EU and European Economic Area's 500 million consumers. Products bearing the CE mark are presumed compliant with the requirements of the ErP Directive and can therefore be freely sold anywhere in the bloc.

Notes

Head Office : Buyuk Hendek Cd. No: 57/A 34420 Sishane Istanbul
t: 90 212 292 25 25 (Pbx) f: 90 212 252 11 53

Factory : Organize Sanayi Bolgesi 6.Cd No: 42 38080 Kayseri
t: 90 352 312 14 00 f: 90 352 321 14 03

info@kumtel.com / www.kumtel.com

KUMTEL