





**1**


1x  + 1x 

1x  + 1x  + 2x  NIMH AAA 400mAh rechargeable\*

**2**

min. 1 m  

max. 50 m  




max. 300 m 




**3**




  \*\*

  \*\*

**4**

 ON / OFF  3sec 

 ON / OFF  3sec 



**DECLARATION OF CONFORMITY**

Hereby, Commaxx declares that the radio equipment type Alecto DBX110 is in compliance with directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: <http://DOC.hesdo.com/DBX110-DOC.pdf>

Use only supplied adapters

Input: 100-240VAC-50/60Hz 150mA  
Output: 6V DC --- 450mA  
Model: S003ATV0600045

- \* Use only rechargeable NIMH battery listed below:  
CORUN, Ni-MHAAA400 (Designation No.: Ni-MH AAA 400mAh 1,2V)  
Caution: Risk of explosion if battery is replaced by an incorrect type!  
Dispose of used batteries according to the instructions.

- \*\* For pluggable equipment, the socket-outlet shall be installed near the equipment and shall be easily accessible.  
Frequency Range : 1880-1900 Mhz  
Maximum Power : < 24 dBm

For Indoor use only

Information Power Adapter:  
Manufacturers name and address:  
Vtech Telecommunications LTD, 23/F., Tai Ping Industrial Centre, Block 1, 57 Ting Kok Road, Tai Po, Hong Kong.  
Output Power: 2.7 W  
Average active efficiency: 74.9 %  
Efficiency at low 10% load: -  
No load Power consumption: 0.03 W